

Reporting Period: 8/18/2021 To 8/18/2021
Reporting Date: 9/12/2021 07:15 PM

Hourly Monitoring Data

Wednesday, 8/18/2021

Boise Fire Station PM10 BAM AQS ID - 16 001 0009

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	BAMPM10	ug/m3	64	17	44	38	40	45	36	40	41	32	40	54	62	58	61	64	60	54	48	56	41	39	37	26	29	17

Eastman Garage - Boise (CO) AQS ID - 16 001 0014

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	CO	ppm	0.49	0.27	0.27	0.28	0.28	0.3	0.46	0.32	0.42	0.41	0.41	0.44	0.45	0.45	0.47	0.48	0.47	0.45	0.49	0.46	0.48	0.49	0.48	0.47	0.45	0.43

Garden City PM2.5 BAM AQS ID - 16 001 0020

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	PM2.5 BAM (SCC)	ug/m3	27	9	11	9	13	15	12	10	15	12	18	24	24	23	26	27	25	22	22	17	20	19	16	15	11	10

St Lukes AQS ID - 16 001 0010

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	Ozone	ppb	51	23	43	37	35	33	32	29	24	27	32	36	41	44			50	51	50	49	47	43	39	34	31	31
Ada	NOY	ppb	8.5946	1.6947	1.6947	2.4894	2.313	2.0355	1.9228	4.1739	8.5946	7.3613	4.7751				3.2429	3.0436	2.9152	2.6916	2.7277	2.6646	2.5431	2.8786	2.7162	2.886	2.9579	3.703
Ada	Trace_SO2	ppb	0.31	0.19	0.31	0.3	0.28	0.28	0.29	0.26	0.31	0.28	0.19	0.28	0.27	0.25			0.25	0.29	0.25	0.26	0.24	0.28	0.29	0.27	0.24	0.26
Ada	Trace_CO	ppm	0.34	0.17	0.18	0.19	0.19	0.17	0.17	0.21	0.26	0.3	0.3	0.31	0.34	0.34			0.33	0.31	0.31	0.32	0.33	0.33	0.32	0.32	0.32	0.32
Ada	PM2.5 BAM (SCC)	ug/m3	35	11	15	15	14	11	17	16	21	23	35	30	30	35	27	29	26	29	28	25	20	22	20	23	17	21

STL Chemi NOx AQS ID - 16 001 0010

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	NO	ppb	1.012	-0.658	-0.658	-0.3	-0.238	-0.538	-0.629	-0.221	0.462	1.012	0.267	0.352	-0.159	0.021			0.051	-0.113	0.1	-0.322	-0.398	-0.543	-0.462	-0.527	-0.627	-0.177
Ada	NO2	ppb	8.7	1	1	2	2	1.5	1.5	4.2	8.7	6.8	4.1	3.7	2.6	2.1			2.1	2.1	2.1	1.9	2	2.5	2.4	2.8	2.8	3.3
Ada	NOX	ppb	9.25	0.431	0.431	1.729	1.81	1.012	0.935	4.028	9.25	7.809	4.39	4.095	2.484	2.208			2.244	2.058	2.297	1.656	1.622	2.042	2.011	2.37	2.194	3.17

White Pine - Boise Ozone AQS ID - 16 001 0017

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Ada	Ozone	ppb	50	13	44	37	32	31	28	22	13	22	28	35	40	44	45	48	50	50	50	48	46	44	40	36	29	22

Pocatello AQS ID - 16 005 0015

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bannock	PM2.5 BAM (SCC)	ug/m3	36	12	36	24	26	17	18	27	27	27	24	12	14	13	18	16	15	19	17	24	29	25	25	24	31	30
Bannock	BAMPM10	ug/m3	53	27	49	51	49	47	36	33	33	37	35	27	35	36	40	41	50	47	48	46	51	50	53	50	47	44
Bannock	Ozone	ppb	49	7	49	48	46	38	38	36	29	26	28	29	32	34	35	32	30	30	29	26	22	22	13	9	9	8

Pocatello G&G MET 1-HR

AQS ID - 16 005 0015

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bannock	Wind Dir S	Deg	279	93	224	238	255	261	211	131	160	128	279	259	216	261	94	210	188	163	210	117	149	153	151	144	174	148
Bannock	Solar Rad	W/m2	276.8	0	0	0	0	0	0	0	1.1	8.7	24.1	151.7	276.8	253.4	163.1	89.1	135.1	181.6	104.7	135.7	58.9	2	0	0	0	0
Bannock	10m T																											
Bannock	Matched Probe (F)	°F	69	51	69	67	66	60	54	52	51	52	53	53	55	55	56	56	55	56	57	57	57	57	56	56	55	56
Bannock	2m T																											
Bannock	Matched Probe (F)	°F	69	51	69	67	66	60	54	52	51	52	53	54	55	56	56	56	56	56	57	57	57	57	56	56	55	56
Bannock	RH	%	99	23	23	27	29	45	69	91	98	100	84	65	62	57	57	58	59	58	60	61	62	65	70	74	76	78
Bannock	BP	mbar	863	857	857	857	857	859	860	861	861	862	862	863	863	863	863	863	863	863	863	863	863	863	863	863	863	863
Bannock	Wind Speed mph	mph	12.3	2	5.7	4.4	12.3	12.3	10	7.4	5.3	3.7	4.8	2.9	4.1	5.3	3.7	2.9	3.3	2.3	2.3	2	3.2	2.4	3.3	3.2	2.2	2.7

Pocatello WWTP (SO2)

AQS ID - 16 005 0004

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bannock	SO2	ppb	32.63	1.16	32.63	26.65	10.93	7.8	11.16	1.68	1.16	1.2	1.37	2.02	1.78	1.57	3.57	1.51	1.79	2	1.53	1.35	1.32	1.4	1.32	1.31	1.49	1.57

Plummer

AQS ID - 16 009 0011

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Benewah	PM2.5 (BAM)	ug/m3	33	-7	6	2	8	4	5	13	33	3	15	13	11	16	28	20	13	12	-7	1	2	13	12	10	11	11
Benewah	Wind Speed V	m/s																										
Benewah	Wind Dir V	Deg																										
Benewah	RH	%																										
Benewah	Solar Rad	W/m2																										
Benewah	2m Temp HMP45C (2m)	°C																										
Benewah	BP	mbar																										

St Maries PM2.5 BAM

AQS ID - 16 009 0010

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Benewah	PM2.5 BAM (SCC)	ug/m3	27	5	25	27	26	25	20	25	21	25	14	19	13	13	14	10	13	7	8	13	8	8	7	5	6	7
Benewah	Wind Dir S	Deg	341.3	45.9	65.3	75.4	254.9	82.6	88.8	45.9	58.7	341.3	293.4	281.5	265.1	197.8	274.5	269.7	253.2	336.9	278.7	69	107.5	78.5	104.8	101.3	62.2	62

Ketchum PM2.5 BAM

AQS ID - 16 013 0004

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Blaine	PM2.5 BAM (SCC)	ug/m3	31	10	27	31	31	27	25	27	22	21	23	21	23	23	19	15	14	16	14	16	10	18	17	14	16	17

Garden City Met 1-HR AQS ID - 16 001 0020

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boise	Wind Dir S	Deg	316	109	299	204	221	273	175	121	110	230	296	316	315	308	302	298	294	305	307	314	306	303	308	308	300	223
Boise	Solar Rad	W/m2	822	0.2	0.4	0.3	0.2	0.4	0.4	1.4	51.2	188.9	360.7	527.6	676.3	774.7	822	804	741.5	623.2	461	294.9	133.7	20.6	0.4	0.2	0.3	0.4
Boise	10m T																											
Boise	Matched Probe (F)	°F	74	51	61	58	56	55	53	51	51	53	57	62	65	68	70	72	73	74	75	74	73	71	68	65	64	61
Boise	2m T																											
Boise	Matched Probe (F)	°F	76	49	60	58	56	53	51	50	49	54	58	64	67	70	72	74	75	76	76	75	73	71	67	64	63	61
Boise	RH	%	79	28	39	48	54	62	72	75	80	72	64	51	44	37	34	31	29	28	29	30	32	34	40	46	49	55
Boise	BP	mbar	924	921	921	921	921	922	922	923	923	923	924	924	924	923	923	923	922	922	922	922	922	923	923	923	923	923
Boise	Wind Speed mph	mph	13.4	0.8	7.2	2.1	1.7	2.5	2.7	1.4	0.8	3.2	4.7	10.8	11.9	10.9	11.4	11	11.1	12.5	13.4	13.2	12.2	10	7.2	5.4	6.5	4

Garden Valley PM2.5 BAM AQS ID - 16 015 0002

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boise	PM2.5 BAM (SCC)	ug/m3	27	7	12	14	11	12	11	14	14	14	17	20	21	27	20	24	19	17	16	15	9	7	8	9	10	11

Idaho City PM2.5 BAM AQS ID - 16 015 0001

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boise	PM2.5 BAM (SCC)	ug/m3	27	8	16	12	14	12	10	12	12	14	8	22	27	19	23	24	24	15	20	19	15	11	10	17	18	15

St Lukes Met 1-HR AQS ID - 16 001 0010

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boise	Wind Dir S	Deg	299	280	289	281	281	285	293	292	296	297	298	300	298	298	292	286	286	286	285	295	292	291	292	291	288	284
Boise	Solar Rad	W/m2	734.3	0	0	0	0	0	0	0.6	44.7	169.5	326	473.9	605.7	692	734.3	726.3	668.4	564.8	428.1	271	125.1	18.2	0	0	0	0
Boise	10m T																											
Boise	Matched Probe (F)	°F	73	54	60	58	57	56	56	55	54	56	58	62	65	68	69	71	73	74	74	74	73	71	68	65	63	61
Boise	2m T																											
Boise	Matched Probe (F)	°F	74	54	60	58	57	56	56	55	54	56	59	62	66	69	71	72	74	75	75	74	73	71	68	65	63	61
Boise	RH	%	68	27	41	50	55	60	62	66	69	66	60	53	43	37	34	31	29	28	28	29	31	33	38	46	51	56
Boise	BP	mbar	923	920	920	920	921	921	922	922	922	923	923	923	923	923	923	922	922	922	922	922	922	922	922	923	923	923
Boise	Wind Speed mph	mph	10.6	3.8	7.1	6.5	6.5	7.4	8.6	6.6	3.8	6.7	8.1	9	9.8	8.3	9	9.1	8.4	10.2	10.6	9.5	8.9	7.9	8.6	7	5.6	6

Weiser E-Sampler - CRB Seasonal Monitor AQS ID - 16 087 1004

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boise	PM2.5_E-Samp_Corr	ug/m3	29.5	19.3	19.3	20.7	22.2	20.7	20.7	20	21.5	23.7	28	29.5	27.3	25.1	23.7	22.9	22.9	22.2	20.7	21.5	22.9	22.9	25.1	26.6	24.4	20

Sandpoint Met 1-HR AQS ID - 16 017 0003

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bonner	Wind Dir S	Deg	212	27	28	28	30	29	29	33	32	35	35	43	98	122	128	127	117	138	155	201	128	203	212	99	107	45
Bonner	Solar Rad	W/m2	761.9	0	0	0	0	0	1.1	30.3	132.9	287.4	491.1	643.5	713.7	651.4	761.9	714.8	658.6	518.2	325.3	201.1	40.8	0.3	0	0	0	0
Bonner	10m T																											
	Matched Probe (F)	°F	71	54	55	56	55	54	54	55	57	58	60	63	65	66	67	69	70	71	71	71	69	64	63	62	61	59
Bonner	2m T																											
	Matched Probe (F)	°F	73	54	54	56	55	54	54	55	57	59	62	65	67	69	70	71	73	73	73	73	68	62	61	61	59	57
Bonner	RH	%	73	36	72	66	67	74	71	66	63	60	56	50	46	46	43	41	41	40	38	36	44	56	60	59	64	68
Bonner	BP	mbar	941	939	940	940	940	940	940	941	941	941	941	941	941	941	940	940	940	939	939	939	939	939	939	939	940	939
Bonner	Wind Speed mph	mph	12.4	1	11.6	12.4	12.3	11.5	9.9	8.8	9.5	10.5	11.5	11.3	8.9	5.3	4.7	2.9	3.7	5.1	3.7	1	1.8	2.7	3.5	6	4.9	5

Sandpoint Particulate Matter AQS ID - 16 017 0003

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bonner	PM2.5 BAM (SCC)	ug/m3	6	-2	4	5	2	2	2	2	3	4	2	-2	-1	5	4	3	2	3	3	3	1	1	4	6	4	5
Bonner	BAM PM10	ug/m3	20	3	5	6	5	3	4	6	6	6	6	8	6	6	7	12	11	20	14	11	14	19	10	11	7	11

Idaho Falls (PM2.5) BAM AQS ID - 16 019 0011

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Bonneville	PM2.5 BAM (SCC)	ug/m3	105	17	44	36	33	32	34	91	105	77	57	57	42	36	36	17	17	20	17	25	29	35	38	41	35	38

Mt Hall E-sampler PM2.5 - CRB Seasonal Monitor AQS ID - 16 021 1008

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boundary	PM2.5_E-Samp_Corr	ug/m3	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5	3.5

Porthill E-sampler PM2.5 - CRB Seasonal Monitor AQS ID - 16 021 1007

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Boundary	PM2.5_E-Samp_Corr	ug/m3	6.2	4.7	4.7	4.7	4.7	4.7	4.7	4.7	4.7	5.2	5.2	6.2	6.2	5.7	5.7	5.7	5.2	5.2	5.2	4.7	5.2	5.2	5.7	5.2	5.2	5.2

Nampa Particulate Matter AQS ID - 00 000 0002

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
--------	------------	-------	-----	-----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----	----

Canyon	PM2.5 BAM (SCC)	ug/m3	32	12	19	16	12	17	17	18	24	27	27	28	29	30	30	24	22	22	22	20	23	19	24	24	32	28
Canyon	BAM PM10	ug/m3	87	35	47	50	36	38	35	36	51	61	71	87	78	71	57	60	56	46	46	49	40	43	73	65	51	44

Nampa PM10 BAM AQS ID - 16 027 0002

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Canyon	BAMPM10	ug/m3	87	35	47	50	36	38	35	36	51	61	71	87	78	71	57	60	56	46	46	49	40	43	73	65	51	44

Nampa PM2.5 BAM 1020 AQS ID - 16 027 0002

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Canyon	PM2.5 BAM (SCC)	ug/m3	32	12	19	16	12	17	17	18	24	27	27	28	29	30	30	24	22	22	22	20	23	19	24	24	32	28

Soda Springs (SO2) AQS ID - 16 029 0031

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Caribou	SO2	ppb	10.54	0.62	10.54	5.3	5.3	2.07	1.38	0.99	1.07	0.93	1.08	1.05	0.92	0.92	1.01	0.76	0.78	0.85	0.88	0.88	0.95	0.85	0.7	0.86	0.75	0.62

Soda Springs - CRB Seasonal Monitor AQS ID - 16 029 1009

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Caribou	PM2.5_E- Samp_Corr	ug/m3	89.5	11.1	12.5	13.9	11.1	22.3	32.8	32.1	53.1	57.3	57.3	58.7	59.4	41.9	51	59.4	46.1	47.5	61.5	65.7	79	89.5	61.5	72.7	84.6	84.6

Preston PM2.5 BAM AQS ID - 16 041 0002

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Franklin	PM2.5 BAM (SCC)	ug/m3	60	17	60	57	56	50	32	19	17	28	32	45	39	50	41	42	32	40	37	41	38	44	49	48	50	51

Grangeville PM2.5 BAM AQS ID - 16 049 0002

County		Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Idaho	PM2.5 BAM (SCC)	ug/m3	37	6	19	20	23	30	34	37	35	34	27	21	19	18	11	10	14	10	7	9	6	6	12	8	7	6	

Nursery Rd Met 1-HR AQS ID - 16 055 0015

[illegible]

Kootenai	2m T	°F	73	55	56	56	57	57	56	56	56	58	62	64	67	69	70	72	73	73	73	72	70	64	64	63	60	59
	Matched																											
Kootenai	Probe (F)																											
	RH	%	70	34	71	68	65	65	65	66	65	62	55	50	45	41	41	39	35	35	34	35	38	52	54	55	62	71
Kootenai	BP	mbar	938	936	936	936	937	937	937	937	938	938	938	938	938	937	937	937	936	936	936	936	936	936	936	937	937	937
Kootenai	Wind Speed																											
	mph	mph	8.4	1.6	7.9	7.6	8.4	6.6	5.9	7.9	7.7	5.8	6.4	5	2.2	3.7	5	4.4	4.1	4.6	5.5	4.5	2.3	1.6	2.1	3.6	3.4	1.6

Nursery Rd PM2.5 BAM AQS ID - 16 055 0015

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Kootenai	PM2.5 BAM (SCC)	ug/m3	9	1	3	2	4	4	4	4	2	2	3	2	2	1	2	3	2	1	5	7	6	5	9	8	8	7

Moscow PM2.5 BAM AQS ID - 16 057 0005

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Latah	PM2.5 BAM (SCC)	ug/m3	30	5	29	28	24	30	27	27	30	22	16	18	23	18	22	23	20	16	16	15	16	12	11	6	5	7

Salmon Met 1-HR AQS ID - 16 059 0004

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Lemhi	Wind Dir S	Deg	256	99	124	111	126	135	139	117	120	99	132	119	138	137	136	133	129	133	128	130	153	196	257	146	140	128
Lemhi	Solar Rad	W/m2	774.5	0	0	0	0	0	0	0.2	6.4	23.9	67.4	326	597.8	254.3	443.1	774.5	686.9	513	280.3	151.4	15.6	2.5	0	0	0	0
Lemhi	RH	%	80	46	68	60	61	66	67	67	66	66	65	63	57	57	56	52	49	47	48	49	50	74	81	79	67	66
Lemhi	BP	mbar	879	873	873	873	874	874	874	875	876	876	877	877	877	878	877	877	877	877	877	877	877	878	878	879	879	879
Lemhi	10m T																											
	Matched																											
	Probe (F)	°F	66	56	58	59	59	57	57	57	57	57	57	58	60	60	61	63	65	66	66	65	63	58	58	58	58	58
Lemhi	2m T																											
	Matched																											
	Probe (F)	°F	66	56	58	59	59	57	57	57	57	57	57	59	61	60	61	64	66	67	66	65	63	58	57	57	58	57
Lemhi	Wind Speed																											
	mph	mph	11.3	1.6	11.3	8.3	8.1	5.8	5.5	5.4	3.2	4.7	2.9	6.3	7.8	8.6	8.6	10.1	10.5	9.1	10.4	7.3	6.3	3.8	1.6	2.3	2.5	3.1

Salmon PM2.5 BAM AQS ID - 16 059 0004

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Lemhi	PM2.5 BAM (SCC)	ug/m3	21	2	11	7	9	6	2	5	6	5	17	12		18	13	10	9	19	17	15	16	21	19	17	9	6

Kamiah PM2.5 1022 AQS ID -

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Lewis/Idaho	PM2.5 BAM (SCC)	ug/m3	20	7	13	7	7	9	8	11	14	10	10	16	20	19	16	18	18	12	17	14	14	15	11	12	16	12

Cottonwood E-sampler - CRB Seasonal Monitor AQS ID - 16 049 1012

Grangeville Met 1-HR AQS ID - 16 049 0002

Juliaetta E-sampler PM2.5 - CRB Seasonal Monitor AQS ID - 16 057 1012

Lewiston Met 1-HR AQS ID - 16 069 0012

Moscow Met 1-HR AQS ID - 16 057 0005

[illegible]

Potlatch E-Sampler PM2.5 - CRB Seasonal Monitor AQS ID - 16 057 1000

Rexburg E-Sampler - CRB Seasonal Monitor AQS ID - 16 065 0002

Paul Elementary E-Samp - CRB Seasonal Monitor AQS ID - 16 067 1011

Lapwai BAM 1022 AQS ID -

Lewiston PM2.5 BAM AQS ID - 16 069 0012

Pinehurst Met 1-HR AQS ID - 16 079 0017

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Shoshone	Wind Dir S	Deg	208	73	152	135	109	209	197	170	81	140	88	73	107	160	113	120	167	113	79	90	125	110	131	195	188	204
Shoshone	Solar Rad	W/m2	784	0	0	0	0	0	3.3	55.6	214.5	411.7	438.2	732.3	734.7	784	706.3	620	619.2	221.6	63.9	15.1	7.1	0	0	0	0	0
Shoshone	RH	%	91	35	92	88	74	83	86	87	76	61	54	47	44	42	39	39	36	37	41	45	55	55	63	77	83	87
Shoshone	BP	mbar	940	938	938	938	938	939	939	939	940	940	940	940	940	939	939	939	938	938	938	939	939	939	939	939	939	940
Shoshone	10m T																											
	Matched Probe (F)	°F	71	53	55	56	57	55	54	53	56	59	62	64	66	67	69	70	72	72	70	69	66	65	63	58	55	53

[illegible]

Pinehurst Particulate Matter

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Shoshone	PM2.5 BAM (SCC)	ug/m3	33	8	33	27	17	13	19	18	27	23	26	17	19	17	14	26	17	18	33	21	14	13	11	8	10	11
Shoshone	BAM PM10	ug/m3	46	10	46	27	14	18	24	23	32	27	26	16	17	15	19	21	25	17	38	24	11	12	11	10	12	13

Kimberly Met 1-HR AQS ID - 16 083 0009

County	Parameters	Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Twin Falls	Wind Dir S	Deg	295	187	257	248	240	222	221	220	239	241	245	261	266	279	286	290	295	293	288	295	291	270	189	187	201	199
Twin Falls	Solar Rad	W/m2	717.2	0.4	0.4	0.4	0.4	0.4	0.4	0.9	38.6	124.8	288.9	399.3	491.2	635.4	712.4	717.2	665.2	573.6	388.6	217.8	109	13.5	0.4	0.4	0.4	0.4
Twin Falls	10m T Matched Probe (F)	°F	68	52	61	58	56	55	53	52	53	53	54	56	58	61	63	65	66	68	68	68	67	65	62	57	57	56
Twin Falls	2m T Matched Probe (F)	°F	69	51	61	58	56	54	52	52	53	53	55	58	60	63	65	67	68	69	69	68	67	63	58	55	53	51
Twin Falls	RH	%	63	29	37	37	41	45	51	53	52	58	57	54	51	46	44	40	37	35	32	29	33	39	56	62	61	63
Twin Falls	BP	mbar	881	876	876	877	877	878	879	879	879	880	880	881	881	881	881	880	880	880	880	880	880	880	881	881	881	881
Twin Falls	Wind Speed mph	mph	16	4.4	14	11.6	14.2	10.9	11.3	11.6	14.5	15.2	16	15.9	13.2	12.8	12.3	9.9	8.8	8	10	7.9	5.4	4.4	5.9	7.8	6.8	6.9

Rock Creek PM2.5 BAM AQS ID - 16 083 0007

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Twin Falls	PM2.5 BAM (SCC)	ug/m3	26	11	13	15	14	11	16	13	17	15	19	23	17	20	19	19	20	20	23	21	22	20	20	26	19	21

McCall PM2.5 BAM AQS ID - 16 085 0002

County Parameters		Units	Max	Min	01	02	03	04	05	06	07	08	09	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24
Valley	PM2.5 BAM (SCC)	ug/m3	30	6	22	27	26	30	27	29	29	26	28	24	21	14	10	9	10	15	12	9	8	8	9	6	9	9